## **M-Glue**

### SAFETY DATA SHEET

According to EC-Regulation 1907/2006 (REACH).

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Trade name: Product no. REACH registration number: M-Glue

: Not applicable

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Uses advised against:

Construction adhesive for most building applications

The full text of any mentioned and identified use categories are given in section 16

#### 1.3. Details of the supplier of the safety data sheet

Company and address:	Monier Roofing Component GmbH
	Frankfurter Landstr. 2-4
	D-61440 Oberusel, Germany
	T +49 6171 61 008
	F +49 6171 61 2300
Contact person:	Dr. Anne Schuchardt
E-mail:	anne.schuchardt@bmigroup.com
SDS date:	2016-03-30
SDS Version:	5.0
mergency telephone number	

#### 1.4. Emergency telephone number

Use your national or local emergency number See section 4 "First aid measures"

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) See full text of H-phrases in section

#### 2.2. Label elements

Hazard pictogram(s):	-
Signal word:	-
Hazard statement(s):	-
Safety statement(s):	-
General:	-
Prevention:	-
Response:	-
Storage:	-
Disposal:	-

Identity of the substances primarily responsible for the major health hazards:

## BV



### SAFETY DATA SHEET

According to EC-Regulation 1907/2006 (REACH).

#### 2.3. Other hazards

Additional labelling: Additional warnings: VOC:

Safety data sheet available on request. (EUH210)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1/3.2. Substances/Mixtures

NAME: **IDENTIFICATION NOS.:** 

CONTENT: CLP CLASSIFICATION:

NAME **IDENTIFICATION NOS.:** CONTENT: CLP CLASSIFICATION:

CAS-no: 2768-02-7 EC-no: 220-449-8 REACH-no: 01-2119513215-52-0003 1-3% Flam. Liq. 3, Acute Tox. 4 H226, H332

Organosilan ester

Trimethoxyvinylsilane

1-3% Flam. Liq. 3, Acute Tox. 4 H226, H332 (\*) See full text of H-phrases in chapter 16. Occupational exposure limits are listed in section 8, if these are

available.

#### **Other informations:**

ATEmix(inhale, vapour) > 20 ATEmix(inhale, dust/mist) > 20 ATEmix(inhale, dust/mist) > 20000 ATEmix(dermal) > 2000 ATEmix(oral) > 2000

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General information	
In the case of accident:	Contact a doctor or casualty department – take the label or this safety data sheet. Contact a physician, if there is doubt about the injured person's condition, or the symptoms continuous. Never give the unconscious person water or alike.
Inhalation:	Lead the person into fresh air and keep the person under watch.
Skin contact:	Remove contaminated clothing and shoes at once. If there has been contact to some skin, wash is thoroughly with water and soap. Skin cleansing remedies can be used. DO NOT use solvents or a thinner.
Eye contact:	Remove contact lenses. Flush eyes immediately with plenty of water (20-30 °C), until irritation cease and for at least 15 min.

#### **BMI Group**



### SAFETY DATA SHEET

According to EC-Regulation 1907/2006 (REACH).

Ingestion:

Give the person plenty to drink and keep the person under watch. If fainting: Contact a physician immediately and bring along this security datasheet or the label from the product. Do not induce vomiting, unless recommended by the physician. Lower the person's head, so that vomit does not run back into the mouth or throat. Not applicable

#### Burns:

#### 4.2. Most important symptoms and effects, both acute and delayed

Non specific.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Non specific.

### Information to medics

Bring this safety data sheet.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

Recommendation:

alcohol resistant foam, carbonic acid, powder, fog. Usage of a water beam is forbidden, since it can spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

If the product gets exposed to high temperature, as in case of a fire, dangerous demolition products get created. These are: Nitrogen oxides. Carbon oxides. Some metal oxides. If exposed to decomposition products, a danger to one's health is at risk. Fire fighters should use proper protection gear. A closed container, which is exposed to fire, should be cooled with water. Do not allow the water from the fire extinction run into sewer systems and water streams.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

No specific demands.

#### 6.2. Environmental precautions

No specific demands.

#### 6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. If possible, clean with cleaning supplies. Solvents should be avoided.

#### 6.4. Reference to other sections

See section 13 regarding handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

**BMI Group** 

## **M-Glue**

### SAFETY DATA SHEET

According to EC-Regulation 1907/2006 (REACH).

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Smoking, consumption of food and liquids as well as storage of tobacco, foods and liquids is not allowed in the room. See section on 'Exposure controls/personal protection' for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Always store in the same container as the original material. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Storage temperature: No data available.

#### 7.3. Specific end use(s)

This product should only be used for applications described in Section 1.2

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters OEL:

Methanol (released in small quantities during vulcanisation) (EH40/2005) Long-term exposure limit (8-hour TWA reference period): 200 ppm | 266 mg/m<sup>3</sup> Short-term exposure limit (15-minute reference period): 250 ppm | 333 mg/m<sup>3</sup> Comments: Sk (Sk = Can be absorbed through skin.)

DNEL/PNEC:	DNEL (Methanol (released in small quantities during vulcanisation)): 260
Exposure:	Inhalation

#### 8.2. Exposure controls

Compliance with the stated expos	sure limits values should be checked on a regular basis.
General recommendations:	Smoking, consumption of food and liquids as well as storage of
	tobacco, foods and liquids, is not allowed in the room.
Exposure scenarios:	If there is an appendix to this safety data sheet, the indicated
	exposure scenarios must be complied.
Exposure limits:	Trade users should encompass the rules of the work environment
	legislation on maximum concentrations of exposure.
	See work hygienic threshold limiting values below.
Appropriate technical measures:	Airborne gas and dust concentrations must be kept lowest possible
	and under the existing threshold limiting values (see below). In case
	the air streams in the work room is not sufficient, use for example an
	exhaust. Make sure there are visible signs for eye cleanser and shower.
Hygiene measures:	Wash hands before breaks and at the end of work.
Management and the second all shows the second seco	

Measures to avoid environmental exposure: No specific demands.

Personal protective equipment symbol(s):



#### **BMI Group**



### SAFETY DATA SHEET

According to EC-Regulation 1907/2006 (REACH).

Generally:	Use only CE marked protective equipment.			
Respiratory Equipment:	Not relevant if the room is	s well ventilated. If used in small and very		
	badly ventilated rooms a respirator may be used.			
Skin protection:	No specific demands.			
Hand protection:	When applying the sealant with a caulking gun and when finishing with a joint nail, work can be carried out without gloves if skin contact is avoided.			
	Recommended:	Butyl/nitrile rubber.		
	Breakthrough time:	Follow the manufacturer's instructions		
Eye protection:	No specific demands.			

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Form:	Pasta
Colour:	Various colours
Odour:	No data available.
pH:	No data available.
Viscosity:	No data available.
Density (g/cm³):	1,46
Phase changes	
Melting point (°C):	No data available.
Boiling point (°C):	No data available.
Vapour pressure:	No data available.
Data on fire and explosion hazards	
Flashpoint (°C):	No data available.
Ignition (°C):	No data available.
Selfignition (°C):	No data available.
Explosion limits (Vol %):	No data available.
Solubility	
Solubility in water:	Insoluble
n-octanol/water coefficient:	No data available.
9.2. Other information	
Solubility in fat (g/L):	No data available.

#### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

## No data available 10.2. Chemical stability

The product is stable under the conditions, noted in section 7.

**BMI Group** 

## **M-Glue**

## SAFETY DATA SHEET

According to EC-Regulation 1907/2006 (REACH).

#### 10.3. Possibility of hazardous reactions

Non specific.

10.4. Conditions to avoid

Non specific.

**10.5. Incompatible materials** Strong acids, strong bases, strong oxidizing agents, and strong reductants agents.

#### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

Acute toxicity

Substance	Species	Test	Route of exposure	Result
Trimethoxyvinylsilane	Rabbit	LD50	Dermal	3200 mg/kg
Trimethoxyvinylsilane	Rat	LD50	Inhalation	16,8 mg/l/4h
Trimethoxyvinylsilane	Rat	LD50	Oral	7100 mg/kg

Skin corrosion/irritation	
Data on substance:	Trimethoxyvinylsilane
Organism:	Rabbit
Duration of Exposure:	96 h
Result:	Not irritating
Serious eye damage/irritation	
Data on substance:	Trimethoxyvinylsilane
Organism:	Rabbit
Result:	Irritating
Respiratory or skin sensitisation:	No data available.
Data on substance:	Trimethoxyvinylsilane
Organism:	Guinea pig
Result:	Not sensitising
Germ cell mutagenicity:	No data available.
Carcinogenicity:	No data available.
Reproductive toxicity:	No data available.
STOT-single exposure:	No data available.
STOT-repeated exposure:	No data available.
Aspiration hazard:	No data available.
Long term effects:	Non specific.

**SECTION 12: ECOLOGICAL INFORMATION** 

#### **BMI** Group

## **M-Glue**

## SAFETY DATA SHEET

According to EC-Regulation 1907/2006 (REACH).

#### 12.1. Toxicity

Substance	Species	Test	Duration	Result	
Trimethoxyvinylsilane	Fish	LC50	96 h	191 mg/l	
Trimethoxyvinylsilane	Daphnia	EC50	48 h	169 mg/l	
Trimethoxyvinylsilane	Daphnia	NOEC	21 h	25 mg/l	
Trimethoxyvinylsilane	Algae	NOEC	72 h	25 mg/l	
12.2. Persistence and degradability					
Substance	Biodegradab	Biodegradability		Result	
Trimethoxyvinylsilane	No	No		No data available	
12.3. Bioaccumulative potential					
Substance	Potential bioaccumulation		LogPow	BCF	
No data available					
12.4. Mobility in soil					
No data available					
12.5. Results of PBT and vPvB assess	ment				
No data available					
12.6. Other adverse effects					

This product contains substances, which can give unwanted long term effects in a water environment, due to its poor decomposition.

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

This product is not included in the regulation of dangerous waste. Waste: EWC code

> Specific labelling: Contaminated packing:

-No specific demands.

08 04 10

#### **SECTION 14: TRANSPORT INFORMATION**

#### 14.1 - 14.4

Non dangerous goods, referring to ADR and IMDG. ADR/RID

14.1. UN number:	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es)	-
14.4. Packing group:	-
Notes:	-
Tunnel restriction code:	-

#### **BMI Group**

## **M-Glue**

### SAFETY DATA SHEET

According to EC-Regulation 1907/2006 (REACH).

IMDG		
UN-no.:	-	
Proper Shipping Name:	-	
Class:	-	
PG*:	-	
EmS:	-	
MP**:	-	
Hazardous constituent:	-	
IATA/ICAO		
UN-no.:	-	
Proper Shipping Name:	-	
Class:	-	
PG*:	-	
14.5. Environmental hazards:	-	
14.6. Special precautions for user:	-	
14.7. Transport in bulk according to Annex II of March 14.7.	1ARPOL73/78 and the IBC Code: No data avail	able

(\*) Packing group (\*\*) Marine pollutant

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Demands for specific education: Additional information:

Data Sources:

COUNCIL DIRECTIVE 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breast-feeding. The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002 REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006 (CLP). EC regulation 1907/2006 (REACH).

15.2. Chemical safety assessment:

No

#### **SECTION 16: OTHER INFORMATION**

Full text of H-phrases as mentioned in section 3

- H226 Flammable liquid and vapour.
- H332 Harmful if inhaled.
- The full text of identified uses as mentioned in section 1:

Other symbols mentioned in section 2:

#### **BMI Group**



### SAFETY DATA SHEET

According to EC-Regulation 1907/2006 (REACH).

Other: It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products. A change (in proportion to the last essential change (first cipher in SDS version)) is marked with a blue triangle.

The safety data sheet is validated by: Date of last essential change(First cipher in SDS version): Date of last minor change(Last cipher in SDS version): Robert Pedersen 2016-03-30 2016-03-30